



# 营业执照

(副本)

统一社会信用代码

91330303MA2HCUUB4B (1/1)



扫描二维码登录“国家企业信用信息公示系统”了解更多登记、备案、许可、监管信息

名称 浙江好莱康医疗科技有限公司

类型 有限责任公司（自然人投资或控股）

法定代表人 王森

经营范围 许可项目：第二类医疗器械生产；第三类医疗器械生产；医用口罩生产；医护人员防护用品生产（Ⅱ类医疗器械）；第三类医疗器械经营；医疗器械互联网信息服务；技术进出口；货物进出口（依法须经批准的项目，经相关部门批准后方可开展经营活动，具体经营项目以审批结果为准）。一般项目：医护人员防护用品生产（Ⅰ类医疗器械）；劳动保护用品生产；第一类医疗器械生产；第一类医疗器械销售；第二类医疗器械销售；医用口罩零售；日用口罩（非医用）生产；日用口罩（非医用）销售；医用口罩批发；医护人员防护用品批发；劳动保护用品销售；医护人员防护用品零售；技术服务、技术开发、技术咨询、技术交流、技术转让、技术推广（除依法须经批准的项目外，凭营业执照依法自主开展经营活动）。

注册资本 壹仟壹佰捌拾捌万元整

成立日期 2020年05月14日

营业期限 2020年05月14日至长期

住所 浙江省温州市龙湾区永中街道机场大道518号

登记机关



2020年05月14日



180011112242



(2010) 质认监认字(244)号



中国认可  
国际互认  
TESTING  
CNAS L6780

# 检 验 报 告

## TEST REPORT



扫一扫关注我们



扫一扫查询真伪



报告编号

REPORT NO.

产品名称

NAME OF SAMPLE

委托单位

CUSTOMER

检验类别

TEST CATEGORY

国纺委字第 W202019461 号

KN95 口罩

浙江好莱康医疗科技有限公司

委托检验

浙江省轻工业产品质量检验研究院

(浙江省纺织测试研究院)

Zhejiang Light Industrial Products Inspection and Research Institute

国家纺织服装产品质量监督检验中心(浙江)

National Textiles and Garment Quality Supervision Inspection Center(Zhejiang)

浙江省轻工工业产品质量检验研究院  
国家纺织服装产品质量监督检验中心（浙江）  
检验报告

国纺委字第 W202019461 号

第 1 页 共 3 页

|                                                                                                                                             |                                                                                                                                                                                                             |                         |                     |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------------|
| 委托单位名称<br>Name of Customer                                                                                                                  | 浙江好莱康医疗科技有限公司                                                                                                                                                                                               | 地 址<br>Address          | 浙江省温州市龙湾区机场大道 518 号 |
| 生产单位<br>Manufacturer                                                                                                                        | 浙江好莱康医疗科技有限公司                                                                                                                                                                                               | 地 址<br>Address          | 浙江省温州市龙湾区机场大道 518 号 |
| 样品信息<br>Sample information                                                                                                                  | 样品名称 Name of sample: KN95 口罩<br>样品特性 Characteristics: 白色<br>商标 Trademark: ---<br>规格/号型 Specification/model: KN95<br>等级 Level: KN95<br>安全技术类别 Category of safety specification: ---<br>样品款号/货号 Art. No.: --- |                         |                     |
| 以上为顾客信息 (Above-mentioned information by Customer-supplied)                                                                                  |                                                                                                                                                                                                             |                         |                     |
| 来样方式<br>The sent way of sample                                                                                                              | 快递                                                                                                                                                                                                          | 样品数量<br>Sample quantity | 30 只                |
| 送检日期<br>Receiving Date of Sample                                                                                                            | 2020-05-17                                                                                                                                                                                                  | 检测类别<br>Test Category   | 委托检验                |
| 判定依据<br>Rating Requirements                                                                                                                 | GB 2626-2006                                                                                                                                                                                                |                         |                     |
| 检测结论/Test Summary:<br><br>实测结果详见附页。                                                                                                         |                                                                                                                                                                                                             |                         |                     |
| <div></div> <div>批准日期/Date of Approval: 2020-05-22</div> |                                                                                                                                                                                                             |                         |                     |
| 备 注<br>Remarks                                                                                                                              |                                                                                                                                                                                                             |                         |                     |

签 发: 俞杰  
Approved by

# 检验报告

国纺委字第 W202019461 号

第 2 页 共 3 页

| 序号 | 检测项目       | 检测方法                    | 单位 | 标准要求<br>(KN95)                | 实测值                    | 单项评价 | 结果备注 |
|----|------------|-------------------------|----|-------------------------------|------------------------|------|------|
| 1  | 过滤效率(盐性介质) | GB 2626-2006 6.3        | %  | ≥95.0                         | 99.6                   | 符合   | —    |
| 2  | 呼吸阻力       | GB 2626-2006 6.5<br>6.6 | Pa | ≤350                          | 202                    | 符合   | —    |
|    |            |                         | Pa | ≤250                          | 188                    |      |      |
| 3  | 头带         | GB 2626-2006 6.11       | —  | 10N, 持续 10s,<br>不应出现滑脱<br>或断裂 | 未出现断裂或<br>滑脱现象         | 符合   | —    |
| 4  | 外观检查       | GB 2626-2006 6.1<br>6.2 | —  | 符合<br>GB2626-2006<br>标准要求     | 2 个口罩的外<br>观质量符合标<br>准 | 符合   | —    |
| 5  | 口罩下方视野     | GB 2890-2009 6.8        | °  | ≥60                           | 77                     | 符合   | —    |



# 检验报告

国纺委字第 W202019461 号

第 3 页 共 3 页

样品图片



—以下空白—



## 声明

- 一、本机构保证检测的公正性、独立性和诚实性，对检测结果负责，对委托方所提供的检测样品保密和保护所有权。
- 二、本报告无签发人员签字或未加盖本机构红色检验检测专用章无效。
- 三、报告涂改无效，复印件未重新加盖本机构红色检验检测专用章无效。
- 四、本报告的检测数据和结果仅对送检样品负责。
- 五、本报告各页均为报告不可分割之部分，使用者单独抽出某些页导致误解或用于其它用途及由此造成的后果，本机构不负相应的法律责任。

六、委托方若对本报告有异议，应及时向本机构提出。政府行政管理部门下达的指令性任务，被检方对检验结果有异议时，应按政府行政管理部门文件规定及国家相关法律法规、法规规定进行。

## DECLARATION

1. Our organization guarantees impartiality, independence and honesty of inspection, and is responsible for the results of inspection, keeping the samples supplied by the entrusting party confidential and at the same time protecting the ownership of the samples supplied.
2. The test report will be deemed invalid without signatures of the inspector/reviewer and authorized personnel, and the red special inspection stamp of our organization.
3. The test report will be invalid if it is altered. Copies of the report are invalid without the red special inspection stamp of our organization.
4. The test results shown in this report are applicable only to the samples provided by customers.
5. All the pages of the report are integral parts of the report. Our organization will not be responsible for any misunderstanding or other results caused by using separate page(s) of the report.
6. If there is any dissent of the report, the entrusting party shall notify our organization timely. For the mandatory inspection given by governmental administration departments, and dissent about the sample being tested or test results on the report should be dealt with in accordance with national regulations.

### 浙江省轻工业产品质量检验研究院及附设的检验中心

#### The Affiliated Inspection Centers

##### 浙江省轻工业产品质量检验研究院

Zhejiang Light Industrial Products Inspection and Research Institute

国家纺织服装产品质量监督检验中心（浙江）

National Textiles and Garment Quality Supervision Inspection Center (Zhejiang)

地址：浙江省杭州市江干区下沙路300号6号楼

Address: Building No.6, 300 XiaSha Road, Hangzhou, Zhejiang

联系电话: 0571-85122669

Telephone: 0571-85122669

E-Mail: 1137907994@qq.com

##### 国家家具产品质量监督检验中心（浙江）

National Center for Quality Supervision Inspection of Furniture (Zhejiang)

浙江省室内安全及家具产品质量检验中心

Zhejiang Center of Quality Test for Indoor Safety and Furniture Products

地址：浙江省杭州市余杭区良渚街道经一路1号良渚大学科技园4号楼

Address: Building 4 LiangZhu University Science and Technology Park, No.1,

JingYi Rd, Yuhang District, Hangzhou, Zhejiang

联系电话: 0571-89009556

Telephone: 0571-89009556

E-Mail: 2047699564@qq.com

##### 浙江省轻工及五金产品质量检验中心

Zhejiang Center of Quality Test for Light Industry and Hardware Products

浙江省体育用品质量检验中心

Zhejiang Center of Quality Test for Sports Products

地址：浙江省杭州市西湖区天目山路222号3号楼

浙江省杭州市余杭区良渚街道经一路1号良渚大学科技园3号楼

Address: No. 222 Tianmushan Rd., Hangzhou, Zhejiang

Building 3 LiangZhu University Science and Technology Park, No.1,

JingYi Rd., Hangzhou, Zhejiang

联系电话: 0571-89001107

Telephone: 0571-89001107

E-Mail: wujtest@126.com

##### 国家锁具产品质量监督检验中心（浙江）

National Center for Quality Supervision Inspection of Lock (Zhejiang)

浙江省锁具产品质量检验中心

Zhejiang Center of Quality Test for Lock Products

地址：浙江省杭州市塘南路24号

Address: No. 24 Tangniao Rd., Hangzhou, Zhejiang

联系电话: 0571-85027738

Telephone: 0571-85027738

E-Mail: Locktest@126.com

网上业务受理/报告查询: <http://www.zjiti.cn>

Online Business-Reception/Report Inquires: <http://www.zjiti.cn>

投诉电话: 0571-85023552

Complaint Tel: 0571-85023552



180011112242



(2018) 浙江质认字(244)号



中国认可  
国际互认  
TESTING  
CNAS L6780

# 检 验 报 告

## TEST REPORT



Scan is following us



Scan checks for authenticity



\*W202019461E\*

浙江省轻工业产品质量检验研究院

Zhejiang Light Industrial Products Inspection and Research Institute

国家纺织服装产品质量监督检验中心（浙江）

National Textiles and Garment Quality Supervision Inspection Center(Zhejiang)

# Test report

Number:W202019461E

page1/2

|                                                                                     |                                                                                                                                                                                                                                     |                 |                                                                                 |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------|
| Name of Customer                                                                    | Zhejiang HaoLaikang Medical Technology Co., Ltd                                                                                                                                                                                     | Address         | No.518 Airport Avenue, Longwan District, Wenzhou City, Zhejiang Province, China |
| Manufacturer                                                                        | Zhejiang HaoLaikang Medical Technology Co., Ltd                                                                                                                                                                                     | Address         | No.518 Airport Avenue, Longwan District, Wenzhou City, Zhejiang Province, China |
| Sample information                                                                  | <p>Name of sample: KN95 FACE MASK</p> <p>Characteristics of sample: WHITE</p> <p>Trademark of sample: ---</p> <p>Specification/model: KN95</p> <p>Level: KN95</p> <p>Category of safety specification: ---</p> <p>Art. No.: ---</p> |                 |                                                                                 |
| Above-mentioned information by Customer-supplied                                    |                                                                                                                                                                                                                                     |                 |                                                                                 |
| The sent way of sample                                                              | Courier                                                                                                                                                                                                                             | Sample quantity | 30 pieces                                                                       |
| Receiving Date of Sample                                                            | 2020/05/17                                                                                                                                                                                                                          | Test Category   | Entrusted inspection                                                            |
| Date of Testing                                                                     | 2020-05-18~ 2020-05-22                                                                                                                                                                                                              |                 |                                                                                 |
| RatingRequirements                                                                  | GB 2626-2006                                                                                                                                                                                                                        |                 |                                                                                 |
| <p>Test Summary:</p> <p>See the attached page for the results.</p>                  |                                                                                                                                                                                                                                     |                 |                                                                                 |
|  |                                                                                                                                                                                                                                     |                 |                                                                                 |
| Remarks                                                                             |                                                                                                                                                                                                                                     |                 |                                                                                 |

Approved by:

俞杰

# Test report

Number:W202019461E

page2/2

| ITEM                                                       | STANDARD<br>(KN95)                                | RESULT                                                           | RATING |
|------------------------------------------------------------|---------------------------------------------------|------------------------------------------------------------------|--------|
| 1. FILTER EFFICIENCY(SALT MEDIUM)<br>(GB 2626-2006 6.3)(%) |                                                   |                                                                  |        |
| -                                                          | ≥95.0                                             | 99.6                                                             | PASS   |
| 2. RESPIRATORY RESISTANCE<br>(GB 2626-2006 6.5 & 6.6)(Pa)  |                                                   |                                                                  |        |
| -INSPIRATORY RESISTANCE                                    | ≤350                                              | 202                                                              | PASS   |
| -EXPIRATORY RESISTANCE                                     | ≤250                                              | 188                                                              | PASS   |
| 3. HEADBAND<br>(GB 2626-2006 6.11)                         |                                                   |                                                                  |        |
| -                                                          | 10N,hold on10s,<br>No breakage or slippage        | No breakage or<br>slippage were observed                         | PASS   |
| 4. APPEARANCE<br>(GB 2626-2006 6.1 & 6.2)                  |                                                   |                                                                  |        |
| -                                                          | Meet the requirements of<br>GB 2626-2006 standard | The appearance quality<br>of 2 masks conforms to<br>the standard | PASS   |
| 5.VISUAL FIELD BELOW MASK<br>(GB 2890-2009)(° )            |                                                   |                                                                  |        |
| -                                                          | ≥60                                               | 77                                                               | PASS   |

Picture(s) of sample



—End of report—

# DECLARATION

1. Our organization guarantees impartiality, independence and honesty of inspection, and is responsible for the results of inspection, keeping the samples supplied by the entrusting party confidential and at the same time protecting the ownership of the samples supplied.
2. The test report will be deemed invalid without signatures of the inspector/reviewer and authorized personnel, and the red special inspection stamp of our organization.
3. The test report will be invalid if it is altered. Copies of the report are invalid without the red special inspection stamp of our organization.
4. The test results shown in this report are applicable only to the samples provided by customers.
5. All the pages of the report are integral parts of the report. Our organization will not be responsible for any misunderstanding or other results caused by using separate page(s) of the report.
6. If there is any dissent of the report, the entrusting party shall notify our organization timely. For the mandatory inspection given by governmental administration departments, and dissent about the sample being tested or test results on the report should be dealt with in accordance with national regulations.

## 浙江省轻工业产品质量检验研究院及附设的检验中心

### The Affiliated Inspection Centers

#### 浙江省轻工业产品质量检验研究院

Zhejiang Light Industrial Products Inspection and Research Institute  
国家纺织服装产品质量监督检验中心 (浙江)

National Textiles and Garment Quality Supervision Inspection Center (Zhejiang)  
地址: 浙江省杭州市江干区下沙路 300 号 6 号楼

Address: Building No.6, 300 XiaSha Road, Hangzhou, Zhejiang

联系电话: 0571-85122669  
Telephone: 0571-85122669

E-Mail: 1137907994@qq.com

#### 国家家具产品质量监督检验中心 (浙江)

National Center for Quality Supervision Inspection of Furniture (Zhejiang)

浙江省室内安全及家具产品质量检验中心

Zhejiang Center of Quality Test for Indoor Safety and Furniture Products

地址: 浙江省杭州市余杭区良渚街道经一路 1 号良渚大学科技园 4 号楼

Address: Building 4 LiangZhu University Science and Technology Park, No.1, JingYi Rd., Yuhang District, Hangzhou, Zhejiang

联系电话: 0571-89009556  
Telephone: 0571-89009556

E-Mail: 2047699564@qq.com

#### 浙江省轻工及五金产品质量检验中心

Zhejiang Center of Quality Test for Light Industry and Hardware Products

浙江省体育用品质量检验中心

Zhejiang Center of Quality Test for Sports Products

地址: 浙江省杭州市西湖区天目山路 222 号 3 号楼

浙江省杭州市余杭区良渚街道经一路 1 号良渚大学科技园 3 号楼

Address: No. 222 Tianmushan Rd., Hangzhou, Zhejiang

Building 3 LiangZhu University Science and Technology Park, No.1,

JingYi Rd., Hangzhou, Zhejiang

#### 国家锁具产品质量监督检验中心 (浙江)

National Center for Quality Supervision Inspection of Lock (Zhejiang)

浙江省锁具产品质量检验中心

Zhejiang Center of Quality Test for Lock Products

地址: 浙江省杭州市塘苗路 24 号

Address: No. 24 Tangmiao Rd., Hangzhou, Zhejiang

联系电话: 0571-85027738  
Telephone: 0571-85027738

E-Mail: Locktest@126.com

联系电话: 0571-89001107  
Telephone: 0571-89001107

E-Mail: wujtest@126.com

网上业务受理/报告查询: <http://www.zjtj.cn>

Online Business-Reception/Report Inquires: <http://www.zjtj.cn>

投诉电话: 0571-85023552  
Complaint Tel: 0571-85023552

# Declaration of Conformity

Manufacturer:

**Zhejiang Haolaikang Medical Technology Co.,Ltd**

**No.518,airport avenue, yongzhong street, longwan distinct, Wenzhou, Zhejiang**

We, the manufacturer, herewith declare that the products:

KN95 Protective Mask    HLK-02

Meet the provisions of Directive EN149-2001+A1:2009

The device has been assigned to a class according to Annex IX of the Directive EN149-2001+A1:2009. It bears the mark.



The product concerned has been designed and manufactured under a quality

management. The system according to Annex II of Directive EN149-2001+A1:2009.This

Declaration of conformity is valid in connection with the release document for the respective batch of produced devices.

The above-mentioned declaration of conformity is exclusively under the responsibility of

Company:

Zhejiang Haolaikang Medical Technology Co.,Ltd

Address: No.518,airport avenue, yongzhong street, longwan distinct, Wenzhou, Zhejiang



# KN95

HLK

Five layers

**3D Protective Mask**  
(non-medical use)

GB2626-2006

**1** PC



• Prevent mist haze • Prevent saliva • Prevent dust

Take good care of your health

Please read and understand the instructions carefully before wearing. Wrong use may lead to disease or even life-threatening.



The nose clamp is outward, and the ear belt is pulled by both hands, Make sure the nose clip is over the mask



Cup the respirator in your hand, with the nosepiece at your fingertips, allowing the headbands to hang freely below your hand



Position the respirator under your chin with the nosepiece up. Pull the top strap over your head resting in high at the top back of your head. Pull the bottom strap over your head and position it around the neck below the ears



Place your fingertips from both hands at the top of the metal nosepiece. Using two hands, mold the nose area to the shape of your nose by pushing inward while moving your fingertips down both sides of the nosepiece



Perform a user seal check prior to each wearing. Place both hands completely over the respirator and exhale sharply. Be careful not to disturb the position of the respirator. If air leaks around nose, readjust the nosepiece as described in Step 4. If air leaks at the respirator edges, work the straps back along the sides of your head



#### ⚠ WARNING

This respirator helps protect against certain particles, misuse can result in sickness or death. For proper use, see supervisor or User Instructions on box or call HaolaiKang China, +86-0577-55881878

Name of manufacturer: Zhejiang HaolaiKang Medical Technology Co., LTD  
Production address: No. 518, airport avenue, yongzhong street, longwan district, wenzhou, zhejiang  
Postal code: 325000  
After-sales telephone: +86-0577-55881878



# KN95

Five layers

**3D Protective Mask**  
(non-medical use)

**GB2626-2006**



**20** PCS

• Prevent mist haze • Prevent saliva • Prevent dust

Take good care of your health

HUK

HLK

KN95

*Non-Medical Protective Mask*

GB2626-2006



Please read and understand the instructions carefully before wearing. Wrong use may lead to disease or even life-threatening.



The nose clamp is outward, and the ear belt is pulled by both hands. Make sure the nose clip is over the mask



Cup the respirator in your hand, with the nosepiece at your fingertips, allowing the headbands to hang freely below your hand




Position the respirator under your chin with the nosepiece up. Pull the top strap over your head resting in high at the top back of your head. Pull the bottom strap over your head and position it around the neck below the ears



Place your fingertips from both hands at the top of the metal nosepiece. Using two hands, mold the nose area to the shape of your nose by pushing inward while moving your fingertips down both sides of the nosepiece



Perform a user seal check prior to each wearing. Place both hands completely over the respirator and exhale sharply. Be careful not to disturb the position of the respirator. If air leaks around nose, readjust the nosepiece as described in Step 4. If air leaks at the respirator edges, work the straps back along the sides of your head



#### ⚠ WARNING

This respirator helps protect against certain particles, misuse can result in sickness or death. For proper use, see supervisor or User Instructions on box or call Haolaikang China, +86-0577-55881878

Name of manufacturer: Zhejiang Haolaikang Medical Technology Co., Ltd

Production address: no. 518, airport avenue, yongzhong street, longwan district, wenzhou, zhejiang

Postal code: 325000

After-sales telephone: +86-0577-55881878

Batch number:

2022005

Production date:

202200515

Expiration date:

20220514

### Can be used for protection

Paper making, metal casting, brewing, printing and dyeing, printing, decoration, laboratory, grinding, primer and other micro odor industries.

### Not to be used

- Environment with oxygen concentration less than 18%.
- Environment with unknown pollutant composition and concentration.
- In toxic gas, steam, asbestos, arsenic, cadmium, lead, sand blasting, oil mist environment.
- Radiation pollution area, dioxin emission dangerous area, metal steam (including fusion steam) emission place.
- Over 10 times the allowable exposure limit pet concentration environment.

### Storage requirements

Avoid direct sunlight, dust, toxic gas, keep the temperature between  $-20^{\circ}\text{C}$  and  $30^{\circ}\text{C}$ , relative humidity  $\leq 80\%$ , and the shelf life is three years since the production date in unopened state.

### Matters needing attention

- To avoid damaging the filter material, do not clean the mask.
- A man's beard may cause a loose fit between the mask and the face.
- If you smell peculiar smell or feel suffocating, please leave the working area immediately and replace the mask.

For emergency use only, Product is not sterile

Made in China



# Certificate of conformity

【Product name】

KN95 protective mask  
(Non medical use)

【Product Brand】

HLK

【Model】

HLK-02

【Specification】

16\*10.5cm

【Ingredient】

Non-medical use  
26% cotton air filter

【Executive Standard】

GB2626-2006

【Packing Specification】

20pcs/box

【Result of inspection】

Qualified

【Batch number】

202005

【Production date】

2020-05-15

【Period Of Validity】

2 years

【Manufacturer】

Zhejiang Haili Medical Technology Co., Ltd

【Production address/Tel】

no 518, erpuo avenue, yongsheng street, longyan district,  
wenzhou, zhejiang · 81-0577-55881876

# 合格证

KN95防护口罩

(非医用)

【产品名称】

【产品品牌】

好莱康牌

【产品型号】

HLK-02

【产品规格】

16\*10.5cm

【主要成份】

46%无纺布26%熔喷布26%热风棉

【执行标准】

GB2626-2006

【包装规格】

20片/盒

【检验结果】

合格

【生产日期】

2020-05-15

【有效期】

两年

【生产商】

浙江好莱康医疗科技有限公司

【生产地址/电话】

浙江省温州市龙湾区永中街道机场大道518号

+86-0577-55881878

**KN95 protective mask**  
**Non-medical use**

Model: HLK-02

Qty: 1200 PCS

Executive standard: GB2626-2006


MEAS: 54.5X45.5X43.5 CM

Manufacturer: Zhejiang Haolaikang  
Medical Technology Co., LTD

Add: No.518, airport avenue, yongzhong street,  
longwan district, wenzhou, zhejiang

G.W.: 12.8 KG

N.W.: 11.5 KG



MADE IN P.R.C